

LHPP AD 2.1 AERODROME LOCATION INDICATOR - NAME**LHPP PÉCS/POGÁNY****LHPP AD 2.2 AERODROME GEOGRAPHICAL DATA AND ADMINISTRATION**

1	ARP coordinates and site at AD	455921N 0181432E, at the geometrical centre of the RWY
2	Direction and distance from (city)	9 KM SSE from the centre of Pécs
3	Elevation/Reference temperature	198 M / 27.4°C
4	MAG VAR/ annual change	3° E (2009) / 0.1° increasing
5	AD Administration, address, telephone, telefax, AFS	Post: Pecs/Poganyi Repuloteret Mukodteto Kft. H-7666 Pogany, Repuloter Phone: (+36) 72-526-140 Phone: (+36) 72-526-144 AFS: LHPPZPZX Email: info@airportpecs.hu; fly@airportpecs.hu URL: www.airportpecs.hu
6	Types of traffic permitted (IFR/VFR)	IFR-VFR
7	Remarks	Nil

LHPP AD 2.3 OPERATIONAL HOURS

1	AD Administration	MAY 01 - AUG 31 MON, TUE, WED, THU, FRI: 0800 - 1800 (0700-1700) SAT, SUN, Legal Holiday: 0900 - 1700 (0800-1600) MAR 01 - APR 30, SEP 01 - OCT 31 MON, TUE, WED, THU, FRI: 0800 - 1600 (0700-1500) SAT, SUN, Legal Holiday: 0900 - 1500 (0800-1400) NOV 01 - FEB 28 MON, TUE, WED, THU, FRI: 0800 - 1400 SAT, SUN, Legal Holiday: 0900 - 1300 (PPR 0500 - 2100)
2	Customs and immigration	3 workdays prior request required for flights outside the Schengen Region departing/arriving to/from LHPP. Further information: Phone: (+36) 72-526-156 Email: info@airportpecs.hu
3	Health and sanitation	Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	H24
7	ATS	As Administration
8	Fuelling	As Administration
9	Handling	As Administration

10	Security	H24
11	De-icing	As Administration
12	Remarks	Nil

LHPP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
2	Fuel/oil types	AVGAS 100LL, JET-A1, Gasoline 95
3	Fuelling facilities/capacity	Available (10000 L)
4	De-icing facilities	Available at parking stands on request
5	Hangar space for visiting aircraft	up to 20 M wingspan on request
6	Repair facilities for visiting aircraft	Nil
7	Remarks	GPU

LHPP AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants in the city	In the city
3	Transportation	Taxi, local public coach, car hire
4	Medical facilities	First aid at AD, hospital in the city
5	Bank and Post Office	In the city, credit card acceptance at AD
6	Tourist Office	In the city
7	Remarks	Accommodation for limited number of guests in Pogány

LHPP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	ICAO Cat. 3.
2	Rescue equipment	1 fire truck and hand-operated fire extinguishers
3	Capability for removal of disabled aircraft	Available (restricted, up to 30 tons)
4	Remarks	For ICAO Cat. 5., 3 hours prior request required.

LHPP AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	1 snow plough and sweeper, 1 carbamid spreader
2	Clearance priorities	RWY, TWYs, Apron 1, Apron 2
3	Remarks	Nil

LHPP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: Strength:	CONC Apron 1: 30/R/C/X/T Apron 2: 11/R/C/X/T
2	Taxiway width, surface and strength	Width: Surface: Strength:	TWY A: 15 M TWY A1:08 M asphalt TWY A and A1: 25/F/C/X/T
3	Altimeter checkpoint location and elevation	Location: Elevation:	Nil
4	VOR checkpoints	Nil	
5	INS checkpoints	Nil	
6	Remarks	Turning bay at treshold RWY 34. (43,6 M X 8,60 M)	

LHPP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	TWY centre lines, guide lines on apron
2	RWY and TWY markings and LGT	RWY: designator, threshold, TDZ, centre line markings TWYs: centre lines, holding point marking
3	Stop bars	Nil
4	Remarks	Nil

LHPP AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Location Direction (GEO) Distance (M)	Obstacle type Elevation Markings/LGT	Location Direction (GEO) Distance (M)	
a	b	c	a	b	
THR 16 APCH	Antenna tower 285 M AMSL	360 2960 M FM THR	Hill 243 M AMSL	275 3600 M FM ARP	Nil
THR 16 APCH	Hill 532 M AMSL	340 14200 M FM THR	Hill 243 M AMSL	275 3600 M FM ARP	Nil

LHPP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	National Meteorological Service, Aeronautical Meteorological Centre
2	Hours of service	H24
3	Office responsible for TAF preparation Periods of validity	National Meteorological Service, Aeronautical Meteorological Centre TAF 9 HR on request
4	Type of landing forecast Interval of issuance	Nil
5	Briefing/consultation provided	Consultation via phone, fax or telex. See GEN 3.5
6	Flight documentation Language(s) used	Charts, abbreviated plain language text Hungarian, English
7	Charts and other information available for briefing or consultation	Aerodrome reports and forecasts for EUR, area forecasts, met. preservation and warnings in Budapest FIR
8	Supplementary equipment available for providing information	Nil
9	ATS Units provided with information	Budapest FIC; AFIS
10	Additional information	Nil

LHPP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
16	157.53° GEO	1500 x 30	25/F/C/X/T ASPH	455943.62N 0181418.32E 455858.74N 0181444.95E	198 M
34	337.53° GEO	1500 x 30	25/F/C/X/T ASPH	455858.74N 0181444.95E 455943.62N 0181418.32E	195.2 M

Designations RWY NR	Slope of RWY - SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M) surface	OFZ	Remarks
1	7	8	9	10	11	12	13
16	-0.10%/-0.87%	Nil	Nil	1620 x 300	360 x 90 grass	Nil	Nil
34	+0.87%/+0.10%	Nil	Nil	1620 x 300	360 x 90 grass	Nil	Nil

LHPP AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
16	1500	1500	1500	1500	Nil
34	1500	1500	1500	1500	Nil

LHPP AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
16	SALS 420 M LIM	Green	3.36° (15 M)	Nil	Nil	1500 M 60 M White/Yellow HI	Red	Nil	Nil
34	CAT1 Barrette 900 M LIH	Green	3° (17 M)	Nil	Nil	1500 M 60 M White/Yellow HI	Red	Nil	Nil

LHPP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	Nil
2	LDI location and LGT Anemometer location and LGT	
3	TWY edge and centre line lighting	TWY edge lighting on TWY A, in 102 M length
4	Secondary power supply	GPU diesel ground power unit (152 kW, 10-hour operating time)
5	Remarks	Retroreflective edge markers on the other section of TWY A and Aprons

LHPP AD 2.16 HELICOPTER ALIGHTING AREA

Nil

LHPP AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	PECS-POGANY TIZ 454614N 0181508E - 455106N 0182820E - 461304N 0182154E - 461402N 0181906E - 460854N 0180424E - 455347N 0175950E - 454614N 0181508E
2	Vertical limits	9500 FT ALT GND
3	Airspace classification	F
4	ATS unit call sign Language(s)	Pogány Info EN, HU
5	Transition altitude	10000 FT AMSL
6	Remarks	Nil

LHPP AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
AFIS	Pogány Info	126.900 MHz	as AD	Nil

LHPP AD 2.19 RADIO NAVIGATION/LANDING FACILITIES

Type of aid MAG VAR Type of supported OP (for VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
L	PP	412 KHZ	H24	460021.0N 0181358.0E		Nil
ILS 34 (CAT I.)						
LLZ	PCS	108.35 MHZ	H24	455952.2N 0181413.3E		
GP		333.95 MHZ	H24	455906.4N 0181434.9E		GP angle: 3°
DME	PCS	20Y	H24	455906.4N 0181434.9E	196 M	

LHPP AD 2.20 LOCAL REGULATIONS

The village of Pogány must be avoided by all engine propelled aircraft, except aircraft making instrument approach for RWY 34.

Local training flights outside opening hours allowed only for contracted partners or on 24 hours prior request.

LHPP AD 2.21 NOISE ABATEMENT PROVISIONS

Nil

LHPP AD 2.22 FLIGHT PROCEDURE

See attached instrument approach chart.

LHPP AD 2.23 ADDITIONAL INFORMATION

Nil

LHPP AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart - ICAO	AD 2 LHPP-ADC
Aerodrome Obstacle Chart Type A - ICAO	AD 2-LHPP-AOC/A
Instrument Approach Chart - ICAO	AD 2-LHPP-ILS/LOC-34
	AD 2-LHPP-NDB-16
Visual Approach Chart - ICAO	AD 2-LHPP-VAC

THIS PAGE IS INTENTIONALLY LEFT BLANK